



## SPHINX 3000 STANDARD

Technische Daten Technical specification

Kaliber	calibre	9mm para, 9x21 mm / .40S&W	
Lauflänge	barrel length	115 mm	4.53 in.
Kapazität	capacity	15 + 1 / 11 + 1	15 + 1 / 11 + 1
Länge	length over all	210 mm	8.27 in.
Höhe	height	138 mm	5.43 in.
Breite	width	33 mm	1.30 in.
Gewicht	weight	1150 g	40.56 oz.
Abzugs- gewicht	trigger pull weight	<b>SA</b>	1.5 kg 3.30 lb.
		<b>DA</b>	3.7 kg 8.16 lb.
Visierung	sight	fest	fixed
Sicherung	safety	Manuell, Entspann- hebel, DAO-System	manual safety, decocking lever / DAO-System
Farbe	color	tow-tone, black, stainless	



## SPHINX 3000 TACTICAL

Technische Daten Technical specification

Kaliber	calibre	9mm para, 9x21 mm / .40S&W	
Lauf­länge	barrel length	95 mm	3.74 in.
Kapazität	capacity	15 + 1 / 11 + 1	15 + 1 / 11 + 1
Länge	length over all	188 mm	7.40 in.
Höhe	height	138 mm	5.43 in.
Breite	width	33 mm	1.30 in.
Gewicht	weight	1050 g	37.04 oz.
Abzugs­gewicht	trigger pull weight	<b>SA</b>	1.5 kg / 3.30 lb.
		<b>DA</b>	3.7 kg / 8.16 lb.
Visierung	sight	fest	fixed
Sicherung	safety	Manuell, Entspannhebel, DAO-System	manual safety, decocking lever / DAO-System
Farbe	color	tow-tone, black, stainless	



## SPHINX 3000 Competition PRODUCTION

Technische Daten Technical specification

Kaliber	calibre	9mm para, 9x21 mm / .40S&W	
Lauflänge	barrel length	115 mm	4.53 in.
Kapazität	capacity	15 + 1 / 11 + 1	15 + 1 / 11 + 1
Länge	length over all	210 mm	8.28 in.
Höhe	height	138 mm	5.43 in.
Breite	width	33 mm	1.30 in.
Gewicht	weight	1150 g	40.56 oz.
Abzugs- gewicht	trigger pull weight	<b>SA</b> 1.5 kg	3.30 lb.
		<b>DA</b> 3.7 kg	8.16 lb.
Visierung	sight	verstellbar	adjustable
Sicherung	safety	Manuelle Sicherung	manual safety
Farbe	color	tow-tone, black, stainless	



## SPHINX 3000 Competition STANDARD

Technische Daten    Technical specification

Kaliber	calibre	9mm para, 9x21 mm / .40S&W	
Lauflänge	barrel length	115 mm	4.53 in.
Kapazität	capacity	18 + 1 / 14 + 1	18 + 1 / 14 + 1
Länge	length over all	210 mm	8.27 in.
Höhe	height	138 mm	5.43 in.
Breite	width	33 mm	1.30 in.
Gewicht	weight	1150 g	40.56 oz.
Abzugs- gewicht	trigger pull weight	<b>SA</b>	1.5 kg    3.30 lb.
		<b>DA</b>	-    -
Visierung	sight	verstellbar	adjustable
Sicherung	safety	Manuelle Sicherung	manual safety
Farbe	color	tow-tone, black, stainless	



## SPHINX 3000 Competition MODIFIED

Technische Daten Technical specification

Kaliber	calibre	9mm para, 9x21 mm / .40S&W	
Lauflänge	barrel length	115 mm	4.53 in.
Kapazität	capacity	18 + 1 / 14 + 1	18 + 1 / 14 + 1
Länge	length over all	210 mm	8.27 in.
Höhe	height	138 mm	5.43 in.
Breite	width	33 mm	1.30 in.
Gewicht	weight	1167 g	41.16 oz.
Abzugs- gewicht	trigger pull weight	<b>SA</b>	1.5 kg
		<b>DA</b>	-
Visierung	sight	Optisches Zielgerät	red dot sight
Sicherung	safety	Manuelle Sicherung	manual safety
Farbe	color	fow-tone, black, stainless	



## SPHINX 3000 Competition OPEN

Technische Daten Technical specification

Kaliber	calibre	9mm para, 9x21 mm / .40S&W	
Lauflänge	barrel length	135 mm	5.31 in.
Kapazität	capacity	18 + 1 / 14 + 1	18 + 1 / 14 + 1
Länge	length over all	275 mm	10.82 in.
Höhe	height	138 mm	5.43 in.
Breite	width	33 mm	1.30 in.
Gewicht	weight	1401 g	49.41 oz.
Abzugs- gewicht	trigger pull weight	<b>SA</b>	1.5 kg
		<b>DA</b>	-
Visierung	sight	Variabel	variable
Sicherung	safety	Manuelle Sicherung	manual safety
Farbe	color	tow-tone, black, stainless	



**SPHINX 3000 TACTICAL**  
stainless steel with M3 –LED Light

